

POULTRY FEED PREMIX

— SUPPLYMENT COPPER —

**DINA CS 86%**

A SOURCE OF SUPPLEMENTAL COPPER FOR CHICKENS AND TURKEYS.



WHO-GMP

ڈائناسی ایس  
86%

For all animals



# DINA CS

## 86%

A SOURCE OF SUPPLEMENTAL  
COPPER FOR CHICKENS  
AND TURKEYS.

# ڈائناسی ایس

## 86%

### COMPOSITION:

Copper Sulphate Pentahydrate ..... 86.36%\*  
Citric Acid. Supplies 21.97% Elemental Copper

### INDICATIONS:

During times of copper deficiency, mycotic enteritis or fungal disorders. Source of supplemental copper for chickens use in water and feed. Reduces algae in drinking water lines. Control algae in pad cooling system.

### DIRECTIONS FOR USE:

Dissolve on 16 oz. package into 2 gallons of stock solution to be metered at 1 oz / gal of drinking water (1 package in 256 gallons of drinking water). Use as the sole source of drinking water for 7 to 10 days.

Dissolves one 453.6 g package into 7.6 liters of stock solution to be metered at 30 ml / 3.8L of drinking water (1 package in 969 liters of drinking water)

Use as the sole source of drinking water for 7 to 10 days.

### CAUTIONS:

Keep out of reach of children.

Not for human consumption.

Use only non-metal containers

When mixing concentrated solutions.

Store in a cool, dry place.

### PACKING:

454 gram

Marketed by:



صرف مرغیوں اور جانوروں کے استعمال کیلئے

For Veterinary Use Only

مرغیوں کیلئے کارپ کا حصول کا موثر ذریعہ ایسڈی فائیڈ کا پرسلفیٹ ایک گروتھ پرموٹر ہے۔ پچھوندی کے باعث آنتوں کے ورم اور پچھوندی کے سبب دیگر بیماریوں کے تدارک کیلئے انتہائی موثر دوا ہے۔ پانی یا فیڈ میں کارپرسلفیٹ ملا کر خوراک میں کارپ کی ضرورت پوری کرنے کیلئے بطور سپلیمنٹ بھی دیا جاتا ہے۔

طریقہ استعمال:

پانی میں: 454 گرام یا ایک پیکٹ ایسڈی فائیڈ کا پرسلفیٹ کو 973 لیٹر پانی میں حل کریں۔ یہ پانی مرغیوں کی مذکورہ بیماریوں کے علاج کیلئے 7 سے 10 دن تک استعمال کریں۔

فیڈ:

فیڈ میں: 25 گرام ایسڈی فائیڈ کا پرسلفیٹ 50 کلوگرام خوراک میں استعمال کریں۔ یہ فیڈ مرغیوں کی مذکورہ بیماریوں کے علاج کیلئے 7 سے 10 دن تک استعمال کریں۔

احتیاط:

عملول کو صرف پلاسٹک کے برتن میں تیار کریں۔

استورج:

گرمی کی شدت اور دھوپ سے بچائیں۔

ڈاکٹر کی ہدایت کے مطابق استعمال کریں۔

تمام دوائیں بچوں کی پہنچ سے دور رکھیں۔

Manufactured by:  
**THIEN QUAN JOINT STOCK COMPANY**  
Factory's Address: Lot 17F2-17F8 No.5 Street  
Tra noi Industrial Zone 1  
Binh Thuy Dist - Cantho City- Vietnam.  
Email: thienquanjsc79@gmail.com  
Web: www.thienquanjsc.com  
Phone: (84- 292) 376 0396 - Fax: (84- 292) 373 2636.



Always On The Top

### Importers & Sole Distributer

Quanchi More, Lahore Road, Sargodha. Ph: 048-3212398 Fax: 048-3216930 E-mail: btja786@yahoo.com Website: www.btpak.com