# **POLLO - LINCO 4.4%**





پولو-لِنکو %4.4



For all animals



## **POLLO - LINCO 4.4%**

FEED PREMIX





#### COMPOSITION:

#### INDICATIONS:

- Decreased feed efficiency.
  - Necrotic enteritis.
- CRD (Chronic Respiratory Disease).
  - Decrease in FCR.
  - Wet droppings of poultry.

### MAIN FUNCTIONS:

- Increases weight gain.
- For the control and treatment of necrotic enteritis.
  - Improves FCR.
  - For drying the wet droppings of poultry.

#### DOSAGE & ADMINISTRATION:

- For the better weight gain 50 grams/ton of feed.
- Control of necrotic enteritis & CRD 100 grams/ton of feed.
- Treatment of necrotic enteritis & CRD 250-500 grams/ton of feed.

WITHDRAWAL PERIOD: 2 – 4 hours prior to slaughter.

STORAGE: Cool and dry place, avoid direct sunlight.

Keep out of the reach of children.

PACKING: 25 kg







THIEN QUAN JOINT STOCK COMPANY
Factory's Address: Lot 17F2- No.5 StreetTrance Industrial Zone 1Binh Thuy Dist- Cantho City- Vietnam.
Email: thienquanjsc79@gmail.com
Web: www.thienquanjsc.com
Phane:(84-710) 376 0396

Marketed by: Importers & Sole Distributer

Quanchi More, Lahore Road, Sargodha. Ph: 048-3212398 Fax: 048-3216930 E-mail: btja786@yahoo.com Website: www.btpak.com