

LEVASYN-50

ORAL POWDER

لیواسین - ۵۰ اورل پاؤڈر

Levamisole HCl



LEVASYN-50

ORAL POWDER

لیواسین - ۵۰ اورل پاؤڈر

Composition:

Each 100 gm contains:

Levamisole HCl.....50 gm

(As per Innovator's Specification)

Indications:

Levasyn-50 Oral powder is indicated for the treatment and control of nematode (roundworm) infections (gastrointestinal and lung nematodes) in susceptible livestock and poultry. It acts by stimulation of nicotinic receptors on the parasite musculature causing paralysis and expulsion. Levasyn-50 (levamisole) is broadly used in both livestock and poultry as an anthelmintic drug.

Dosage and Administration:

Cattle: 4gm of Levasyn-50 in 5 ltr drinking water

Goat/Sheep: 2.5gm of Levasyn-50 in 5 ltr drinking water

Poultry: 1.5 to 2gm of Levasyn-50 in 1 ltr drinking water

Withdrawal Period:

Livestock (Meat): 10-14 days from the day of last dose.

Livestock (Milk): 3-5 days from the day of last dose.

Poultry (Meat and Eggs): 14-18 days from the day of last dose.

Precautions:

Shake well before use.

Store below 30°C.

Keep out of reach of children.

Protect from direct sunlight, heat, and moisture.

Note:

DO NOT slaughter animals for human consumption until at least 14 days after the last administration. DO NOT use in birds producing eggs for human consumption; eggs MUST NOT be consumed for 14 days after treatment.

Marketed By:



DML. No. 001011

Reg. No: 130175

For Veterinary Use Only



Manufactured By:



Synvest Vet Care (Pvt.) Ltd.
10KM, Sahiwal Road, Arifwala-Pakistan.
Synvest.vetcare.office@gmail.com

Marketed By: Importers & Sole Distributor

Qaunchi Morr, Lahore Road, Sargodha, Pakistan. Ph: 048-3212398 Fax: 048-3216930 Cell: 0345-8400487

Email: info@btpak.com Website: www.btpak.com