

SYNOXY CURE-50

سائٹوکسی کیور - ۵۰ اورل پاؤڈر ORAL POWDER

Oxytetracycline HCl



SYNOXY CURE-50

سائٹوکسی کیور - ۵۰ اورل پاؤڈر ORAL POWDER

Composition:

Each 100 gm contains:

Oxytetracycline HCl50 gm
(USP Specifications)

Indications:

SYNOXY CURE-50 is a broad-spectrum antibacterial agent effective against a wide range of Gram-positive and Gram-negative bacteria, including Mycoplasma, Chlamydia, and Rickettsia species.

SYNOXY CURE-50 is indicated for the treatment of bacterial infections caused by Streptococci, Clostridia, Haemophilus, Corynebacterium, Escherichia coli, and Mycoplasma in poultry, sheep, and goats.

Dosage and Administration:

Sheep & Goats: 0.5–0.8 g per 20 kg body weight, orally, once daily for 3–5 days.
Poultry: 50 g per 200 liters of drinking water for 5–7 consecutive days.

Withdrawal Period:

Livestock (Meat): 7 days

Livestock (Milk): 5 days

Poultry (Meat and Eggs): 3 days

Precautions:

- Dissolve the required quantity completely in drinking water before use.
- Use freshly prepared medicated water.
- Do not use in animals with known hypersensitivity to Oxytetracycline.
- Store below 30°C.
- Keep out of reach of children.
- Protect from direct sunlight, heat, and moisture.

Marketed By:



DML. No. 001011

Reg. No: 130384

For Veterinary Use Only



Manufactured By:



Synvest Vet Care (Pvt.) Ltd.
10KM, Sahiwal Road, Arifwala-Pakistan.
Synvest.vetcare.office@gmail.com

اجزائے ترکیبی:

ہر 100 گرام میں شامل ہے:

آکسی ٹیٹرا سائیکلین ایچ سی ایل50 گرام

علامات:

سائٹوکسی کیور - 50 ایک وسیع اثر رکھنے والی اینٹی بیکٹیریل دوا ہے جو گرام مثبت اور گرام منفی بیکٹیریا کی وسیع اقسام کے خلاف مؤثر ہے، جن میں مانگو پلازما، ہیکیمائڈیا اور ریکٹسیا شامل ہیں۔

سائٹوکسی کیور - 50 مریضوں، بھیڑوں اور بکریوں میں اسٹریپٹوکوکائی، کلو اسٹریڈیا، ہیملوفیلس، کوریوباکٹیریم، ایشیریا کولی اور مانگو پلازما سے پیدا ہونے والی بیکٹیریل بیماریوں کے علاج کے لیے استعمال کی جاتی ہے۔

خوراک و طریقہ استعمال:

مریضوں کیلئے: 50 گرام 200 لیٹر پینے کے پانی میں استعمال کریں، مسلسل 5-7 دن تک۔

بھیڑ، بکری کیلئے: 0.5-0.8 گرام فی 20 کلوگرام جسمانی وزن، منہ کے ذریعے، روزانہ ایک مرتبہ، 3-5 دن تک۔

احتیاط:

- دوا کو استعمال سے پہلے اچھی طرح ہلائیں۔
- دوا کو 30°C سے کم درجہ حرارت پر رکھیں۔
- تمام دوائیں بچوں کی پہنچ سے دور رکھیں۔
- سورج کی روشنی، درجہ حرارت اور نمی سے بچائیں۔

صرف جانوروں کے استعمال کیلئے

Marketed By: Importers & Sole Distributer

Qaunchi Morr, Lahore Road, Sargodha, Pakistan. Ph: 048-3212398 Fax: 048-3216930 Cell: 0345-8400487

Email: info@btpak.com Website: www.btpak.com